



- NOTES:  
 1. CAN BE REDUCED TO 3 IN. SOCKET USING REDUCER BUSHING  
 2. PROTECTED BY US PATENT 6580029 B1  
 3. FOR TELECOM AND ELECTRICAL APPLICATIONS

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SMART PATHWAYS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SMART PATHWAYS LLC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE
		DIMENSIONS ARE IN INCHES [mm]	DRAWN	AVS 04/11/2008
		TOLERANCES:	CHECKED	PRM 04/11/2008
		FRACTIONAL ±	ENG APPR.	
		ANGULAR: MACH ± 5° BEND ± 5°	MFG APPR.	
		TWO PLACE DECIMAL ± .010	Q.A.	
		THREE PLACE DECIMAL ± .005	COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:		
		MATERIAL		
		DIE CAST ALUMINUM		
		FINISH		
		POWDER COAT GRAY ENAMEL		
NEXT ASSY	USED ON	APPLICATION		
		DO NOT SCALE DRAWING		

Smart Pathways, LLC www.smartlb.com		
TITLE: 4 inch Smart LB Die Cast Aluminum Customer Drawing		
SIZE	DWG. NO.	REV
<b>A</b>	KBLB-400-CUSTOMER-ASSEMBLY	<b>A</b>
SCALE: 1:10	WEIGHT: 27.4 lb. 12.4 kg.	SHEET 1 OF 1